





# **ADVENTURE PARK**

1.L\_DCMDA01AI













### INFORMAÇÃO DO EQUIPAMENTO / INFORMACIÓN DEL EQUIPO / EQUIPMENT INFORMATION / INFORMATIONS SUR L'ÉQUIPEMENT




EN 1176-1



# INFORMAÇÃO TÉCNICA / INFORMACIÓN TÉCNICA / TECHNICAL INFORMATION / INFORMATIONS TECHNIQUES

- 1 Ponte de Equilíbrio c/ discos HDPE 0.60m
- 2 Ponte de Equilíbrio c/ ripas 🗓 0.60m
- 3 Ponte Equilíbrio c/ pneus 🗓 0.60m
- 4 Ponte Equilíbrio c/ uma corda horiz. 4 0.60m
- 5 Ponte Equilíbrio c/ duas cordas horiz. e quatro verticais  $\boxed{\ }$  0.60m
- 6 Ponte Equilíbrio c/ cordas curvas 🗓 0.60m
- 7 Ponte Equilíbrio c/ prumo e pezeiras  $\mbox{HDPE} \buildrel \buildrel below 0.60m}$
- 8 Ponte Equilíbrio c/ troncos 0.60m
- 9 Ponte Equilíbrio c/ prumo horiz. 🗓 0.60m



#### Plums

Aluminum: Profile of 90x90x2.5mm in alloy 6063 and T66 treatment, this is an extrusion alloy par excellence, presents an excellent resistance to corrosion, with a good surface finish. The T66 treatment in which this alloy is solubilized, tempered and artificially aged, aims to improve its mechanical properties. This is supplied to the natural color with the option of being lacquered to the RAL that the customer wants;

#### Panels

HDPE: High density polyethylene mono or two color. Being a polymer is characterized by its resistance to chemicals and corrosion. Due to its elasticity and lightness, it offers high impact resistance and is very difficult to break. The non-slip surface provides safety for children and its synthetic base prevents the growth of bacteria and fungi. It does not require any maintenance;

#### Marine Plywood

anti-slip, bonded with weather resistant phenol resins and UV rays. in accordance with standards EL 314-2 / class 3 (DIN 68 TS TCIL3: BFU 100, BS 6566 PART 8: WBP);

#### Net

ropes Ø16mm reinforced in steel covered by polypropylene fibers, fittings and connection in HDPE plastic with U.V. protection, fastening elements in hot galvanized steel;

#### **Metal Pieces**

Pipes: Stainless steel AISI 304 Ø54mm;

Structure: Iron with hot dip galvanizing anticorrosion treatment according to EN ISO 1461;

#### **Fixation System**

allow their placement on the ground without the wood coming into direct contact with the earth. The bottom of these fastening systems are anchored to the ground. Manufactured in galvanized sheet steel;

Type A – Standard fixing system composed of metal base embedded in the ground and cast with concrete;


Type B - Standard fastening system consisting of metal base bolted to the ground with metal bushings;

Type C – Standard fixing system composed of plumbing applied directly to the ground and cast with concrete;

Screws and accessories

Screws: Zinc-plated steel or optionally AISI 304 stainless steel;

Capsules: PP polypropylene plastic;





## FUNÇÕES LÚDICAS/ FUNCIONES LÚDICAS / RECREATIONAL FUNCTIONS / FONCTIONS RÉCRÉATIVES



#### Fun

While having fun, children acquire immense abilities, from physical abilities to social interactions.



#### Socializing

Socialization and imagination are necessary throughout the game. All this creates a relationship between children and awakens the sense of coexistence and solidarity.



#### Play

Develops patience, sharing and sporting spirit.



#### Climb

It develops children's motor skills, body control, balance and coordination, stimulating motor ability and strength in movements.

