









Family swing




PSTE000.019









Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	1	MOD	PST	001	020	B	Familie schommel	Adventure Play

Geleverde delen:

- A - A-frame (4x)
- B - Grondbalken (8x)
- C - Dwarsligger (2x)
- D - Langsligger (2x)
- E - Schommeltouw met kabels

Bevestiging sets:

- 1 - M12 draadeind met moeren (8x)
- 2 - M12 draadeind met moeren (8x)
- 3 - M12 draadeind met moeren (8x)

Montagevolgorde:

- 1 - Monteer B aan A met 1 (4x)
- 2 - graaf de gaten volgens het bodemplan en plaats hierin de A-frames
- 2 - plaats hier op C en verbind deze met 2 (4x)
- 3 - plaats D op de frames, controleer de posities en bevestig met 3 (4x)
- 4 - hang E aan D en verbind met de D-sluitingen van D
- 5 - controleer of het toestel voldoet aan de afmetingen zoals op blad 'afmetingen'
- 6 - dicht de gaten en verdicht het zand

Controles:

- 1 - correcte opbouw en alle bevestigingsmiddelen
- 2 - controleer de afmetingen van de valbodem t.o.v. het toestel

Supplied parts:

- A - A-frame (4x)
- B - Ground beams (8x)
- C - Cross beam (2x)
- D - Stringer (2x)
- E - Swing Rope with cables

Mounting kits:


- 1 - M12 threaded rod with nuts (8x)
- 2 - M12 threaded rod with nuts (8x)
- 3 - M12 threaded rod with nuts (8x)

Assembly sequence:

- 1 - Mount B to A with 1 (4x)
- 2 - Dig the holes according to the floor plan and insert the A-frames
- 2 - place C on the A-frames and connect with 2 (4x)
- 3 - Place D on the frames, check the positions and connect with 3 (4x)
- 4 - hang E under D and connect with D's D-shackles
- 5 - Check that the device complies with the dimensions on paper 'dimensions'
- 6 - close the holes and compact the sand

Checks:

- 1 - correct assembly and all fasteners
- 2 - check the dimensions of safety area with regard to the equipment



PSTE000.019

Family swing

LOGBOOK

(Onderstaand logboek kan gebruikt worden om te voldoen aan de eisen, gesteld in artikel 14 van het Warenwetbesluit Attractie- en Speeltoestellen)

Type indication	Adventure Play
Product code	PSTE000.019
Name of equipment	Familieschommel
Maximum height of fall	2,3 m
Year of construction	2017
Certificate	025859
inspection authority	TUV Nederland QA BV De Waal 21c, Best - 5684 PH Best
Name manufacturer	BOERplay Hyacintstraat 2 - 4255 HX Nieuwendijk Phone: +31 (0)183 40 23 66 Fax: +31 (0)183 40 35 64
name installer	
Description of equipment	Family swing
Location of equipment	
Data about the owner of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	
Data about the administrator of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	

LOGBOOK

Inspection and maintenance intervals



Nr.	Inspection	Maintenance	months between inspections
1	Verify equipment's stability, junctions and missing parts. Inspect bolts, screws and nuts for absence, jams, corrosion and wear.	Add missing parts, secure joints, apply missing fixing agent and replace corroded parts.	1
2	Check suspension for wear.	Replace worn parts and/or remove non-functioning parts.	1
3	Inspect rotating parts such as hinges, rolling-element bearings, etc. for wear and acceptability.	Replace worn parts and/or remove non-functioning parts.	1
4	Check wood for splinters, unacceptable damage and signs of rot. Especially at ground level.	Repair damage. Replace affected wood. Smoothen splintered wood and sharp edges.	1
5	Inspect foundation for stability, tearing and coverage.	Restore foundation and covering material.	3
6	Examine rubber and synthetic parts for wear, damage and break.	Replace original parts.	3
7	Inspect metal for corrosion and damage in the coating.	Restore any damaged coating (after removing rust and applying primer).	6
8	Check ropes, cables, chains and nets for wear and damage. Steel cables and nets which are tensioned must be checked for tension.	Replace parts where necessary. Steel cables and nets must be tensioned.	3
9	Inspect equipment for unsafe changes and additions.	Remove unsafe additions and correct unsafe changes.	1
10	Inspect safety surfaces.	Restore and repair where necessary.	1

Remarks

1. If used intensively, all points require extra attention.
2. Extreme weather conditions and locations may require a higher inspection frequency. Discuss this with the supplier.
3. Vandalism-sensitive locations require stricter inspections, possibly daily.
4. Check the terrain regularly for items that do not belong there, are unsafe or may be used wrongly. Examples are poisonous plants, glass shards, etc. Frequency depends on strain.
5. Remember that bad maintenance leads to unsafe conditions and notably faster impoverishment of the playground area.
6. Replacement parts can be ordered at the manufacturer with the part numbers on the module drawing. Drawings can be found in the user guide.
7. The impact area shall be provided with impact attenuating surface according to the specified falling height.
8. This list is conform the CEN-standard "playground equipment and surfacing NEN-EN 1176-7".

Warenwet

Certificaat van Typeonderzoek Type Examination Certificate

afgegeven door issued by

TÜV Nederland QA BV



aangewezen bij ministeriële beschikking van
4 mei 2012, nr. VGP 3113590


commissioned by departmental order
of 4 May 2012, no. VGP 3113590

4 mei 2012, nr. VGP-S113590	Certificaat nr. Certificate nr.	025859TB_20130712	Dossiernr. File nr.	025859TB
	Productomschrijving Product description	Familieschommel		
	Evt. nadere aanduidingen Further indications	vrij valhoogte 2,3 m / free height of fall 2,3 m		
	voor nadere informatie zie bijbehorend rapport met gelijkloidend dossiernr. for further information see associated report with identical file nr.			
	Eigenaar / certificaathouder en adres Owner/certificate holder and address	Boer Speeltoestellen B.V. Hyacintstraat 2 4255 HX NIEUWENDIJK		
	Soort toestel Category of equipment	Speeltoestel / Playground equipment		
	Fabrikant Manufacturer	Boer Speeltoestellen B.V. Hyacintstraat 2 4255 HX NIEUWENDIJK		
	Type/Serienummer Type/Serial number	PST.000.019 /	in te vullen door de fabrikant to be filled out by the manufacturer	
	Jaar van fabricage Year of construction	vanaf 2013 since		
	Leverancier Supplier	Boer Speeltoestellen B.V. Hyacintstraat 2 4255 HX NIEUWENDIJK		
	Jaar van leverantie Year of supply	in te vullen door de leverancier to be filled out by the supplier		
	Datum keuring Date of examination	16-03-2012 – 12-07-2013		

TÜV Nederland QA BV, de Waal 21C, NL-5684 PH Best verklaart, dat het bovenaangehaalde toestel voldoet aan de vervaardigingvoorschriften genoemd in het Warenwetbesluit attractie- en speeltoestellen (met als leidraad de normatieve documenten NEN-EN 1176:2008).

TÜV Nederland QA BV declares that the here above mentioned equipment meets the safety and health requirements mentioned in the Dutch law "Warenwetbesluit attractie- en speeltoestellen" (guided by normative documents EN 1176:2008).

Namens het bestuur, For the board, A.C. Boon Directeur	
---	--



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	2	BMR	SET	M12	220		Draadeind+dopm.+ringen	M12, L= 220, RVS A2-70
2	10	BMR	SET	M12	240		Draadeind+dopm.+ringen	M12, L= 240, RVS A2-70
3	4	BMR	SET	M12	260		Draadeind+dopm.+ringen	M12, L= 260, RVS A2-70
4	18	BSV	010	012	012		Borgmoer	M12 - VZ 8.8
5	18	BSV	030	012	003		Sluitring	M12 - VZ 8.8
6	18	KST	DON	010	060		Beschermkop M10-M12	Donut zwart
7	18	KST	DOP	010	060		Beschermkop M10-M12	Dop zwart
8	2	OHO	PST	097	001		Bovenbalk familieschommel	Paal 14-16, Lengte =5000
9	8	OHO	PST	160	020		Paal 14-16	Lengte =2000
10	2	OHO	PST	160	036		Paal 14-16	Lengte =3600
11	2	SHO	PST	100	003	A	A-Frame 2	Familieschommel
12	2	SHO	PST	100	002	A	A-Frame 1	Familieschommel
13	1	SNT	PST	016	111		Schommeltoew	Adventure Play