





Goal 1.5 x 1 m



PSTE000.403



Benaming
Title Goal 1,5x1 Hout+Metaal



Opmerking
Comment Adventure Play

Datum
Date 3-1-2012

Tekening
Drawing

TOE PST 000 403

Bodemplan Groundplan




Benaming
 Title Goal 1,5x1 Hout+Metaal
 Opmerking
 Comment Adventure Play
 Datum
 Date 3-1-2012

Tekening
 Drawing

TOE PST 000 403

Afmetingen Dimensions



Geadviseerde Bouwvolgorde:

Bepaal, voor het plaatsen, de positie van het doel, houdt daarmee rekening met de afmetingen van de grondankers. Daarna gaten graven van 50 cm diep, zoals aangegeven op het bodemplan (2 pagina's eerder).

Na het plaatsen de ankers goed en stevig toedekken met grond.

Gewicht & Afmetingen

Het totale doel, incl. houten voorframe weegt < 85 kg en is 1,5 x 0,6 x 1,6 mtr.

Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	1	MOD	PST	015	003		Voorzetdoel	Adventure Play
2	1	MOD	SPT	006	001		Minigoal	SPT



Benaming
Title | Goal 1,5x1 Hout+Metaal

Opmerking
Comment | Adventure Play

Datum
Date | 3-1-2012

Tekening
Drawing

TOE PST 000 403

Montage Mounting

PSTE000.403

Goal 1.5 x 1 m

LOGBOOK

(Onderstaand logboek kan gebruikt worden om te voldoen aan de eisen, gesteld in artikel 14 van het Warenwetbesluit Attractie- en Speeltoestellen)

Type indication	Sports equipment
Product code	PSTE000.403
Name of equipment	Goal 1.5x1m Hout+Metaal
Maximum height of fall	n.a.
Year of construction	2017
Certificate	0183402366
inspection authority	NVT -
Name manufacturer	BOERplay Hyacintstraat 2 - 4255 HX Nieuwendijk Phone: +31 (0)183 40 23 66 Fax: +31 (0)183 40 35 64
name installer	_____ _____
Description of equipment	Goal 1.5 x 1 m
Location of equipment	_____
Data about the owner of the play equipment	
Name:	_____
Address:	_____
Postcode and town:	_____
Contact person:	_____
Telephone number:	_____
Data about the administrator of the play equipment	
Name:	_____
Address:	_____
Postcode and town:	_____
Contact person:	_____
Telephone number:	_____

LOGBOOK

Inspection and maintenance intervals



Nr.	Inspection	Maintenance	months between inspections
1	Verify equipment's stability, junctions and missing parts. Inspect bolts, screws and nuts for absence, jams, corrosion and wear.	Add missing parts, secure joints, apply missing fixing agent and replace corroded parts.	1
2	Check suspension for wear.	Replace worn parts and/or remove non-functioning parts.	1
3	Inspect rotating parts such as hinges, rolling-element bearings, etc. for wear and acceptability.	Replace worn parts and/or remove non-functioning parts.	1
4	Check wood for splinters, unacceptable damage and signs of rot. Especially at ground level.	Repair damage. Replace affected wood. Smoothen splintered wood and sharp edges.	1
5	Inspect foundation for stability, tearing and coverage.	Restore foundation and covering material.	3
6	Examine rubber and synthetic parts for wear, damage and break.	Replace original parts.	3
7	Inspect metal for corrosion and damage in the coating.	Restore any damaged coating (after removing rust and applying primer).	6
8	Check ropes, cables, chains and nets for wear and damage. Steel cables and nets which are tensioned must be checked for tension.	Replace parts where necessary. Steel cables and nets must be tensioned.	3
9	Inspect equipment for unsafe changes and additions.	Remove unsafe additions and correct unsafe changes.	1
10	Inspect safety surfaces.	Restore and repair where necessary.	1

Remarks




1. If used intensively, all points require extra attention.
2. Extreme weather conditions and locations may require a higher inspection frequency. Discuss this with the supplier.
3. Vandalism-sensitive locations require stricter inspections, possibly daily.
4. Check the terrain regularly for items that do not belong there, are unsafe or may be used wrongly. Examples are poisonous plants, glass shards, etc. Frequency depends on strain.
5. Remember that bad maintenance leads to unsafe conditions and notably faster impoverishment of the playground area.
6. Replacement parts can be ordered at the manufacturer with the part numbers on the module drawing. Drawings can be found in de user guide.
7. The impact area shall be provided with impact attenuating surface according to the specified falling height.
8. This list is conform the CEN-standard "playground equipment and surfacing NEN-EN 1176-7".



Dit toestel is geen speeltoestel conform het warenwetbesluit attractie- en speeltoestellen, en is dus niet als zodanig gecertificeerd.

This equipment is not playground equipment, so it has not been certified as such.





Levering

Module voorzetdoel (MOD.PST.015.003)
is een toevoeging aan een SPT - Minigoal
en wordt voorgemonteerd geleverd.

Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	7	BSV	011	012	025		Borgdopmoer	M12 verzinkt
2	7	BSV	026	012	180		Slotbout	M12 x 180 - VZ 8.8
3	7	BSV	030	012	003		Sluitring	M12 - VZ 8.8
4	1	OHO	PST	120	016		Paal 10-12	Lengte =1600
5	2	OHO	PST	120	009		Paal 10-12	Lengte =900



Benaming
Title: Voorzetdoel


Opmerking
Comment: Adventure Play

Datum
Date: 28-6-2012

Tekening
Drawing

MOD PST 015 003

Samenstelling module Assembly module



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	6	BSV	011	010	020		Borgdopmoer	M10 - VZ 8.8
2	6	BSV	021	010	070		Zeskantbout ISO 4014	M10 x 70 - VZ 8.8
3	12	BSV	030	010	002		Sluitring	M10 - VZ 8.8
4	3	SME	SOL	032	372	C	Grondanker	Goal
5	1	SME	SPT	004	372	A	MINIGOAL	SPT



Benaming
Title | Minigoal

Opmerking
Comment | SPT

Datum
Date | 23-11-2011

Tekening
Drawing

MOD SPT 006 001

Samenstelling module Assembly module