








Double playhouse



UKPE029.01R







Geleverde modules:

Zie tabel

Supplied modules:

See table

Montageinstructie:

- De hoofdmaten geven de maten van de staanders en vloeren aan
- De detailtekeningen geven specifiek de maten van de verbindingen aan
- De modules met buizen zijn op de tekeningen bemaat op bovenkant kopplaat
- Overige modules zijn bemaat op de bovenkant (klimwanden, paalkappen, etc.)

Assembly instruction:

- The main dimensions indicate the dimensions of the posts and floors
- The detailed dimensions show the specific dimensions of the connections
- The modules which contain tubes are dimensioned at the top of the flanges
- Other modules are dimensioned at the top (climbing walls, caps for the posts, etc.)

Montagevolgorde:

- 1 - Graaf de gaten volgens het bodemplan
- 2 - Plaats toren A met 2,3,4
- 3 - Plaats toren B met 2,3,6,7
- 4 - Plaats 5, verbind deze aan toren A en toren B
- 5 - Plaats 8,9, verbind deze aan toren A
- 6 - Controleer of het toestel voldoet aan de afmetingen zoals op blad 'afmetingen'
- 7 - Dicht de gaten en verdicht het zand

Assembly sequence:


- 1 - Dig the holes according to the ground plan
- 2 - Place tower A with 2,3,4
- 3 - Place tower B with 2,3,6,7
- 4 - Place 5, attach it to tower A and tower B
- 5 - Place 8,9, attach it to tower A
- 6 - Check that the equipment conforms to the dimensions shown on sheet 'dimensions'
- 7 - Close the holes and compact the sand

Controles:


- 1 - Correcte opbouw en alle bevestigingsmiddelen
- 2 - Controleer de afmetingen van de valbodem t.o.v. het toestel

Checks:


- 1 - Correct assembly and all the fasteners
- 2 - Check the dimensions of the safety area with regard to the play equipment





Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	1	MOD	DRM	025	223	B	TAFEL	KLADDER
2	2	MOD	UKP	RVS	103	A	DAK	UKKEPUK
3	2	MOD	UKP	RVS	109		TOREN SPEELHUIS	UKKEPUK
4	1	MOD	UKP	RVS	111	A	WANDJE LACH	UKKEPUK
5	1	MOD	UKP	RVS	113	A	JEEP	UKKEPUK
6	2	MOD	UKP	RVS	121	A	Toonbank	Ukkepuk
7	1	MOD	UKP	RVS	135		TELBOL DUBBEL	UKKEPUK
8	1	MOD	UKP	RVS	137	A	ZITJE KWARTROND	UKKEPUK
9	1	MOD	UKP	RVS	141		STAANDER VLOER 250MM	UKKEPUK



Voor
(Front)



Links
(Left)



UKPE029.01R

Double playhouse

LOGBOOK

(Onderstaand logboek kan gebruikt worden om te voldoen aan de eisen, gesteld in artikel 14 van het Warenwetbesluit Attractie- en Speeltoestellen)

Type indication	Toddler Play
Product code	UKPE029.01R
Name of equipment	Ukkepuk Speelhuisje RVS
Maximum height of fall	0,4 m
Year of construction	2017
Certificate	09200116218
inspection authority	Liftinstituut B.V. Buikslotermeerplein 381, A'dam - 1025 XE Amsterdam
Name manufacturer	BOERplay Hyacintstraat 2 - 4255 HX Nieuwendijk Phone: +31 (0)183 40 23 66 Fax: +31 (0)183 40 35 64
name installer	
Description of equipment	Double playhouse
Location of equipment	
Data about the owner of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	
Data about the administrator of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	

LOGBOOK

Inspection and maintenance intervals



Nr.	Inspection	Maintenance	months between inspections
1	Verify equipment's stability, junctions and missing parts. Inspect bolts, screws and nuts for absence, jams, corrosion and wear.	Add missing parts, secure joints, apply missing fixing agent and replace corroded parts.	1
2	Check suspension for wear.	Replace worn parts and/or remove non-functioning parts.	1
3	Inspect rotating parts such as hinges, rolling-element bearings, etc. for wear and acceptability.	Replace worn parts and/or remove non-functioning parts.	1
4	Check wood for splinters, unacceptable damage and signs of rot. Especially at ground level.	Repair damage. Replace affected wood. Smoothen splintered wood and sharp edges.	1
5	Inspect foundation for stability, tearing and coverage.	Restore foundation and covering material.	3
6	Examine rubber and synthetic parts for wear, damage and break.	Replace original parts.	3
7	Inspect metal for corrosion and damage in the coating.	Restore any damaged coating (after removing rust and applying primer).	6
8	Check ropes, cables, chains and nets for wear and damage. Steel cables and nets which are tensioned must be checked for tension.	Replace parts where necessary. Steel cables and nets must be tensioned.	3
9	Inspect equipment for unsafe changes and additions.	Remove unsafe additions and correct unsafe changes.	1
10	Inspect safety surfaces.	Restore and repair where necessary.	1

Remarks

1. If used intensively, all points require extra attention.
2. Extreme weather conditions and locations may require a higher inspection frequency. Discuss this with the supplier.
3. Vandalism-sensitive locations require stricter inspections, possibly daily.
4. Check the terrain regularly for items that do not belong there, are unsafe or may be used wrongly. Examples are poisonous plants, glass shards, etc. Frequency depends on strain.
5. Remember that bad maintenance leads to unsafe conditions and notably faster impoverishment of the playground area.
6. Replacement parts can be ordered at the manufacturer with the part numbers on the module drawing. Drawings can be found in the user guide.
7. The impact area shall be provided with impact attenuating surface according to the specified falling height.
8. This list is conform the CEN-standard "playground equipment and surfacing NEN-EN 1176-7".

TYPE-EXAMINATION CERTIFICATE

Acting under the "Warenwetbesluit Attractie- en Speeltoestellen" issued by Liftinstituut B.V.
commissioned by departmental order, no. VGP/PSL 2857566 from 27 Juni 2008.

Certificate nr. : NL 09-2001-162-18 Revision nr.: 200116218

Description of the product : Playground equipment, Ukkepek

Trademark, type : Speelwijzer, UKP.....

Name and address of the manufacturer : Speelwijzer
Nijverheidsstraat 8
5317 NL Nederhemert Noord

Name and address of the certificate holder : Speelwijzer
Nijverheidsstraat 8
5317 NL Nederhemert Noord

Certificate issued on the basis of the following requirements : Warenwetbesluit Attractie- en Speeltoestellen

Test laboratory : None

Date and number of the laboratory report : None

Date of type-examination : 01-09-2001 t/m 03-09-2001, 21-02-2009

Annexes with this certificate : Report belonging to the type-examination certificate nr.: NL 09-2001-162-18

Additional remarks : This certificate supersedes type certificate dated April 27th 2005, with certificate number NL 09-2001-162-18


Conclusion : The playground equipment meets the requirements of the above specified European standard(s) and "Warenwetbesluit Attractie- en Speeltoestellen" taking into account any additional remarks mentioned above.

Issued in Amsterdam


Date of issue : April 7th, 2009



Ir. V.M.A. Barendregt
Senior Officer Certification &
Technology
Liftinstituut B.V.



13	4	SME	UKP	546	320		Daksteun	Ukkepuk
12	1	OME	DRM	096	304		NOKBEUGEL	90 GRADEN
11	4	OME	DRM	054	304	A	Plaatbeugel	120 Graden
10	4	OPE	UKP	001	060	B	Dakplaat	Ukkepuk
9	8	KST	T33	010	000		ZADELRING	BUIS 33.7
8	20	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
7	8	KST	DOP	010	030		Bescherm dop M10-M12	Dop rood
6	20	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
5	8	KST	DON	010	030		Bescherm dop M10-M12	Donut Rood
4	28	BSR	030	010	002		SLUITRING	M10
3	20	BSR	023	010	030		Bolkopbout ISO 7380	M10 x 30 - RVS A2-70
2	8	BSR	021	010	100		Zeskantbout	M10 x 100 - RVS A2-70
1	20	BSR	011	010	020		DOPMOER	BORG RVS M10
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



3	4	SMD	UKP	RVS	103	ANKER PLAAT	UKKEPUK
2	1	SMD	UKP	RVS	100	VLOER VIERKANT	UKKEPUK
1	4	SME	080	010	320	Staander RVS	80x80, lengte=1820
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING
							OPMERKING



Benaming
Title TOREN SPEELHUIS


Opmerking
Comment UKKEPUK

Datum
Date 5-7-2007


Tekening
Drawing

MOD UKP RVS 109

Samenstelling module Assembly module



4	2	SME	UKP	501	320	A	SYSTEEMBUIJS	UKKEPUK
3	4	SMD	UKP	RVS	105		BEVESTIGING VLINDER	UKKEPUK RVS
2	4	SMD	UKP	ALG	106	A	WAND BEVESTIGING	UKKEPUK
1	1	OPE	UKP	003	010	D	WAND LACH	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING




Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	4	BSR	011	006	012		Borgdopmoer	M6 - RVS A2-70
2	1	BSR	011	010	020		DOPMOER	BORG RVS M10
3	4	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
4	4	BSR	023	006	040		Bolkopbout ISO 7380	M6 x 40 - RVS A2-70
5	4	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
6	4	KST	ROR	006	002		RING NYLON	DIKTE 2.5 MM
7	5	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
8	4	KST	T33	010	000		ZADELRING	BUIS 33.7
9	1	KST	UKP	002	POM	A	Stuurhouder Jeep en Bus	Ukkepuuk
10	1	OPE	UKP	006	051	D	Wand Jeep	Ukkepuuk
11	1	OPE	UKP	008	010	B	Stuur Jeep	Ukkepuuk
12	4	SMD	UKP	RVS	105		BEVESTIGING VLINDER	UKKEPUK RVS
13	1	SME	UKP	539	320	A	FRAME	JEEP




Benaming Title JEEP
Opmerking Comment UKKEPUK
Datum Date 6-12-2013

Tekening Drawing


MOD UKP RVS 113 A
Samenstelling module Assembly module




9	4	SMD	UKP	RVS	105		BEVESTIGING VLINDER	UKKEPUK RVS
8	1	SME	UKP	503	320	A	SYSTEEMBUIS	UKKEPUK
7	1	SME	UKP	501	320	A	SYSTEEMBUIS	UKKEPUK
6	1	OPE	UKP	011	030	B	Schot toonbank	Ukkepuk
5	1	OPE	UKP	010	050	B	Toonbank loket	Ukkepuk
4	6	KST	T33	010	000		ZADELRING	BUIS 33.7
3	6	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
2	6	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
1	6	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



9	1	SME	UKP	584	320		Staander RVS	Tafeltje
8	1	SME	UKP	583	320	A	Steun tafel	Ukkepuk
7	1	SMD	UKP	RVS	103		ANKER PLAAT	UKKEPUK
6	1	OPE	UKP	041	050	A	Tafelblad	Ukkepuk
5	4	KST	DOP	006	030		OPVULDOEJE	6 MM ROOD
4	4	BSR	030	010	002		SLUITRING	M10
3	4	BSR	024	010	030		Verzonken bout	M10 x 30 - RVS A2-70
2	4	BSR	014	005	050		Klinknagel bolkop	4,8 x 12 - RVS A2-70
1	4	BSR	011	010	020		DOPMOER	BORG RVS M10
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



9	4	KST	BOL	036	030		Telbol helft	Rood
8	4	KST	BOL	036	050		Telbol helft	Blauw
7	4	KST	BOL	036	010		Telbol helft	Geel
6	24	BSR	005	004	019		Zelfborende PIAS schoef	3,5 x 19
5	2	SME	UKP	500	320	A	SYSTEEMBUIS	UKKEPUK
4	4	SMD	UKP	RVS	105		BEVESTIGING VLINDER	UKKEPUK RVS
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



7	1	SME	UKP	541	320		BUIS ZITJE KWARTTROND	UKKEPUK
6	2	SMD	UKP	RVS	105		BEVESTIGING VLINDER	UKKEPUK RVS
5	1	OPE	UKP	014	010	B	ZITJE KWARTTROND	UKKEPUK
4	3	KST	T33	010	000		ZADELRING	BUIS 33.7
3	3	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
2	3	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
1	3	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING




Benaming
Title ZITJE KWARTTROND

Opmerking
Comment UKKEPUK

Datum
Date 14-3-2014

Tekening
Drawing

MOD UKP RVS 137 A
Samenstelling module Assembly module



2	1	SME	080	010	320		Staander RVS	80x80, lengte=1820
1	1	SMD	UKP	RVS	103		ANKER PLAAT	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title STAANDER VLOER 250MM

Opmerking
Comment UKKEPUK

Datum
Date 30-1-2007

Tekening
Drawing

MOD UKP RVS 141

Samenstelling module Assembly module