






Pioneer Pythagoras 014




PNRE030.014








Topmodule 2	
Richting	Stand
0	3
2	4
6	2
7	3
8	9
10	9





Topmodule 1	
Richting	Stand
1	3
2	9
6	2
8	2
11	3

Topmodule 3	
Richting	Stand
0	2
2	3
4	9
5	3
7	3
9	4








Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	3	MOD	PNR	001	000		Topmodule	Pionier
2	4	MOD	PNR	002	000		Stander	Stand 2
3	7	MOD	PNR	003	000		Stander	Stand 3
4	2	MOD	PNR	004	000		Stander	Stand 4
5	1	MOD	PNR	005	000		TUSSENBUIJS	STAND 393
6	2	MOD	PNR	010	000		Stander	Midden stand 0
7	1	MOD	PNR	012	000		Loopboog	Onder
8	1	MOD	PNR	302	200		Buizenwand	Gedraaid 200
9	2	MOD	PNR	305	000		Wokkeltrap	Enkele stander
10	1	MOD	PNR	308	393		Klimnet	Spinneweb
11	1	MOD	PNR	312	400		Klimnet	Twist 400
12	1	MOD	PNR	313	432	A	Klimwand	Ovaal
13	1	MOD	PNR	315	393		Enterrek	Klimknopen
14	1	MOD	PNR	317	213	A	Vloer	Bol
15	1	MOD	PNR	323	000	A	Zitje	Recht
16	1	MOD	PNR	328	323		Boogrek	Groot



Topmodule 1



Topmodules 2



Topmodules 3

PNRE030.014

Pioneer Pythagoras 014

LOGBOOK

(Onderstaand logboek kan gebruikt worden om te voldoen aan de eisen, gesteld in artikel 14 van het Warenwetbesluit Attractie- en Speeltoestellen)

Type indication	Pioneer Play
Product code	PNRE030.014
Name of equipment	Pionier Pythagoras 014
Maximum height of fall	2,7 m
Year of construction	2017
Certificate	05200116226
inspection authority	Liftinstituut B.V. Buikslotermeerplein 381, A'dam - 1025 XE Amsterdam
Name manufacturer	BOERplay Hyacintstraat 2 - 4255 HX Nieuwendijk Phone: +31 (0)183 40 23 66 Fax: +31 (0)183 40 35 64
name installer	
Description of equipment	Pioneer Pythagoras 014
Location of equipment	
Data about the owner of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	
Data about the administrator of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	

LOGBOOK

Inspection and maintenance intervals



Nr.	Inspection	Maintenance	months between inspections
1	Verify equipment's stability, junctions and missing parts. Inspect bolts, screws and nuts for absence, jams, corrosion and wear.	Add missing parts, secure joints, apply missing fixing agent and replace corroded parts.	1
2	Check suspension for wear.	Replace worn parts and/or remove non-functioning parts.	1
3	Inspect rotating parts such as hinges, rolling-element bearings, etc. for wear and acceptability.	Replace worn parts and/or remove non-functioning parts.	1
4	Check wood for splinters, unacceptable damage and signs of rot. Especially at ground level.	Repair damage. Replace affected wood. Smoothen splintered wood and sharp edges.	1
5	Inspect foundation for stability, tearing and coverage.	Restore foundation and covering material.	3
6	Examine rubber and synthetic parts for wear, damage and break.	Replace original parts.	3
7	Inspect metal for corrosion and damage in the coating.	Restore any damaged coating (after removing rust and applying primer).	6
8	Check ropes, cables, chains and nets for wear and damage. Steel cables and nets which are tensioned must be checked for tension.	Replace parts where necessary. Steel cables and nets must be tensioned.	3
9	Inspect equipment for unsafe changes and additions.	Remove unsafe additions and correct unsafe changes.	1
10	Inspect safety surfaces.	Restore and repair where necessary.	1

Remarks

1. If used intensively, all points require extra attention.
2. Extreme weather conditions and locations may require a higher inspection frequency. Discuss this with the supplier.
3. Vandalism-sensitive locations require stricter inspections, possibly daily.
4. Check the terrain regularly for items that do not belong there, are unsafe or may be used wrongly. Examples are poisonous plants, glass shards, etc. Frequency depends on strain.
5. Remember that bad maintenance leads to unsafe conditions and notably faster impoverishment of the playground area.
6. Replacement parts can be ordered at the manufacturer with the part numbers on the module drawing. Drawings can be found in the user guide.
7. The impact area shall be provided with impact attenuating surface according to the specified falling height.
8. This list is conform the CEN-standard "playground equipment and surfacing NEN-EN 1176-7".

TYPE-EXAMINATION CERTIFICATE

Acting under the "Warenwetbesluit Attractie- en Speeltoestellen" issued by Liftinstituut B.V.
commissioned by departmental order, no. VGP/P&L 2456476 from 17 march 2004.

Certificate nr. : NL 05-2001-162-26 Revision nr.: 200116226

Description of the product : Playground equipment, Pionier

Trademark, type : Speelwijzer, PNR.....

Name and address of the manufacturer : Speelwijzer / Dhr R. van Veen
Postbus 345
5300 AH Zaltbommel

Name and address of the certificate holder : Speelwijzer / Dhr R. van Veen
Postbus 345
5300 AH Zaltbommel

Certificate issued on the basis of the following requirements : Warenwetbesluit Attractie- en Speeltoestellen 3 september 1996

Test laboratory : None

Date and number of the laboratory report : None

Date of type-examination : - t/m -

Annexes with this certificate :

Additional remarks :


Conclusion : The playground equipment meets the requirements of the above specified European standard(s) and "Warenwetbesluit Attractie- en Speeltoestellen" taking into account any additional remarks mentioned above.





Issued in Amsterdam

Date of issue : Januari 28th, 2005


M. Dougué
Director
Liftinstituut B.V.



12	1	SME	PNR	003	320	D	TOPMODULE	STAALDEEL
11	1	OME	PNR	020	320	A	BEUGEL	TOPMODULE
10	1	KST	PNR	902	001	-	BOVENDEKSEL	TOPMODULE
9	1	KST	PNR	902	002	-	ONDERDEKSEL	TOPMODULE
8	2	KST	PNR	902	003	-	VULDOP	TOPMODULE
7	12	KST	PNR	902	005	-	WISSELDEEL DICHT	TOPMODULE
6	0	KST	PNR	902	004	-	WISSELDEEL OPEN	TOPMODULE
5	24	KST	BUS	006	025	-	AFSTANDBUS	NYLON
4	1	BSR	034	010	002	-	VEERRING	M10
3	1	BSR	023	010	040	-	BOLKOPSCHROEF	M10 x 40
2	12	BSR	003	004	012	-	PANCIL. SCHROEF	4 x 12
1	24	BSR	003	004	040	-	PANCIL. SCHROEF	4 x 40
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	6	BSR	005	004	019		Zelfb. schroef	3,5 x 19 - RVS A2-70
2	2	BSR	007	010	020		STELSCHROEF	KRATER M10x20
3	1	BSR	021	010	070		Zeskantbout	M10 x 70 - RVS A2-70
4	2	KST	PNR	010	PA6		Vulbol helpt	Pionier 2010
5	2	KST	PRO	901	001	C	Schaaldeel Ei	Pionier
6	1	SME	PNR	059	ALU		Beugel compleet	Ei-koppeling



6	1	SME	PNR	011	320	B	GRONDANKER	KNIK
5	1	SME	PNR	001	320	B	STAANDER LANG	50 GRADEN
4	4	KST	DOP	006	030	-	OPVULDOPJE	ZESKANT 6MM
3	5	BSR	030	010	002	-	Sluitring M10	DIN 125
2	4	BSR	027	008	020	-	CILINDERKOPSCHROEF	M8 x 20
1	5	BSR	021	010	016	-	ZESKANTBOUT	M10 x 16
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title Staander


Opmerking
Comment Stand 2

Datum
Date 8-1-2009

Tekening
Drawing

MOD PNR 002 000

Samenstelling module Assembly module



6	1	SME	PNR	007	320	C	GRONDANKER	RECHT
5	1	SME	PNR	002	320	B	STAANDER KORT	50 GRADEN
4	4	KST	DOP	006	030	-	OPVULDOPJE	ZESKANT 6MM
3	5	BSR	030	010	002	-	Sluitring M10	DIN 125
2	4	BSR	027	008	020	-	CILINDERKOPSCHROEF	M8 x 20
1	5	BSR	021	010	016	-	ZESKANTBOUT	M10 x 16
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title

Opmerking
Comment

Datum
Date

Staander


Stand 3

8-1-2009

Tekening
Drawing

MOD PNR 003 000

Samenstelling module Assembly module



6	1	SME	PNR	011	320	B	GRONDANKER	KNIK
5	1	SME	PNR	001	320	B	STAANDER LANG	50 GRADEN
4	4	KST	DOP	006	030	-	OPVULDOPJE	ZESKANT 6MM
3	5	BSR	030	010	002	-	Sluitring M10	DIN 125
2	4	BSR	027	008	020	-	CILINDERKOPSCHROEF	M8 x 20
1	5	BSR	021	010	016	-	ZESKANTBOUT	M10 x 16
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title

Opmerking
Comment

Datum
Date

Staander


Stand 4

8-1-2009

Tekening
Drawing

MOD PNR 004 000

Samenstelling module Assembly module



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	10	BSR	021	010	016		Zeskantbout	M10 x 16 - RVS A2-70
2	4	BSR	024	016	040		Verzonken bout	M16 x 40 - RVS A2-70
3	10	BSR	030	010	002		SLUITRING	M10
4	2	SME	PNR	004	320	B	KOPPELSTUK	TUSSENBUIJS
5	1	SME	PNR	006	320	D	MIDDENDEEL	KOPPELBUIJS



Benaming
Title TUSSENBUIJS


Opmerking
Comment STAND 393

Datum
Date 30-11-2004

Tekening
Drawing

MOD PNR 005 000

Samenstelling module Assembly module



6	1	SME	PNR	010	320	D	MIDDENSTAANDER	RECHT
5	1	SME	PNR	007	320	C	GRONDANKER	RECHT
4	4	KST	DOP	006	030	-	OPVULDOPJE	ZESKANT 6MM
3	5	BSR	030	010	002		Sluitring M10	DIN 125
2	4	BSR	027	008	020	-	CILINDERKOPSCHROEF	M8 x 20
1	5	BSR	021	010	016	-	ZESKANTBOUT	M10 x 16
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title

Opmerking
Comment

Datum
Date

Staander


Midden stand 0

8-1-2009

Tekening
Drawing

MOD PNR 010 000

Samenstelling module Assembly module



1	1	SME	PNR	005	320	C	Loopboog	Laag
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title Loopboog



Opmerking
Comment Onder

Datum
Date 28-7-2009

Tekening
Drawing

MOD PNR 012 000

Samenstelling module Assembly module



4	6	SMD	PNR	005	000	Submodule	EI 05
3	1	OME	PNR	130	108	Klimstang PNR 33.7x2	Lengte 1080 cm HOH
2	1	OME	PNR	130	086	Klimstang PNR 33.7x2	Lengte 860 cm HOH
1	1	OME	PNR	130	058	Klimstang PNR 33.7x2	Lengte 580 cm HOH
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING
							OPMERKING



Benaming
Title Buizenwand


Opmerking
Comment Gedraaid 200

Datum
Date 8-1-2009

Tekening
Drawing

MOD PNR 302 200

Samenstelling module Assembly module



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	3	OME	PNR	018	320	B	Wokkelbuis	Wokkel
2	6	SMD	PNR	005	000		Submodule	EI 05



Benaming
Title Wokkeltrap



Opmerking
Comment Enkele staander

Datum
Date 13-8-2010



Tekening
Drawing

MOD PNR 305 000


Samenstelling module Assembly module



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	20	BSR	002	005	030		Schroef Assy	5 x 30 - RVS A2-70
2	10	KST	PNR	011	POM	A	Insteek Netbus	tbv "EI 05"
3	10	SMD	PNR	005	000		Submodule	EI 05
4	1	SNT	PNR	004	016	C	Hercules touw	16mm, zwart, 15350 lang



A (1 : 7,5)



4	1	SNT	PNR	006	016	A	KLIMNET	GEDRAAID
3	8	SMD	PNR	005	000		Submodule	EI 05
2	8	KST	PNR	011	POM		Insteek Netbus	tbv "EI 05"
1	24	BSR	002	005	030	-	SCHROEF AW	5 x 30
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title Klimnet


Opmerking
Comment Twist 400

Datum
Date 9-1-2009


Tekening
Drawing

MOD PNR 312 400


Samenstelling module Assembly module




Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	12	BSR	024	010	030		Verzonken bout	M10 x 30 - RVS A2-70
2	12	KST	DOP	006	030	-	OPVULDOPJE	ZESKANT 6MM
3	1	OPE	PNR	005	010	C	Klimwand	Groot
4	4	SMD	PNR	005	000		Submodule	EI 05
5	1	SME	PNR	024	320	C	Frame Klimwand	Groot





Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	10	BSR	021	010	016		Zeskantbout	M10 x 16 - RVS A2-70
2	4	BSR	024	016	040		Verzonken bout	M16 x 40 - RVS A2-70
3	10	BSR	030	010	002		SLUITRING	M10
4	2	SME	PNR	004	320	B	KOPPELSTUK	TUSSENBUIS
5	1	SME	PNR	058	320	A	Enterrek	7 Grepen



5	1	SME	PNR	031	320	B	Frame	Vloerplaat bol
4	3	SMD	PNR	005	000		Submodule	EI 05
3	1	OPE	PNR	010	010	A	VLOERPLAAT	BOL
2	4	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
1	4	BSR	024	010	030		Verzonken bout	M10 x 30 - RVS A2-70
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	1	BSR	011	010	020		Borgdopmoer	M10 - RVS A2-70
2	2	BSR	024	010	030		Verzonken bout	M10 x 30 - RVS A2-70
3	1	BSR	030	010	002		SLUITRING	M10
4	2	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
5	1	OPE	PNR	006	010	A	ZITPLAAT	ZITJE
6	2	SMD	PNR	005	000		Submodule	EI 05
7	1	SME	PNR	025	320	F	Beugel zitje	Recht



3	4	SME	PNR	371	304		Bevestigings Buis	met M10 Draad
2	1	SME	PNR	050	320	B	Boogrek	Lang
1	4	SMD	PNR	005	000		Submodule	EI 05
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title Boogrek

Opmerking
Comment Groot

Datum
Date 9-1-2009

Tekening
Drawing

MOD PNR 328 323

Samenstelling module Assembly module