





Sand balance





MNPE343.813

Obstakelvrije ruimte





Bodemplan


A-A (0,03 : 1)



Toestel



Modules



1	1	MOD	MNP	343	004		zandbalans	miniplay
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING

MNPE343.813

Sand balance

LOGBOOK

(Onderstaand logboek kan gebruikt worden om te voldoen aan de eisen, gesteld in artikel 14 van het Warenwetbesluit Attractie- en Speeltoestellen)

Type indication	Mini Play
Product code	MNPE343.813
Name of equipment	IP Zandbalans
Maximum height of fall	< 0,6 m
Year of construction	2017
Certificate	100324979
inspection authority	Liftinstituut B.V. Buikslotermeerplein 381, A'dam - 1025 XE Amsterdam
Name manufacturer	BOERplay Hyacintstraat 2 - 4255 HX Nieuwendijk Phone: +31 (0)183 40 23 66 Fax: +31 (0)183 40 35 64
name installer	_____ _____
Description of equipment	Sand balance
Location of equipment	_____
Data about the owner of the play equipment	
Name:	_____
Address:	_____
Postcode and town:	_____
Contact person:	_____
Telephone number:	_____
Data about the administrator of the play equipment	
Name:	_____
Address:	_____
Postcode and town:	_____
Contact person:	_____
Telephone number:	_____

LOGBOOK

Inspection and maintenance intervals



Nr.	Inspection	Maintenance	months between inspections
1	Verify equipment's stability, junctions and missing parts. Inspect bolts, screws and nuts for absence, jams, corrosion and wear.	Add missing parts, secure joints, apply missing fixing agent and replace corroded parts.	1
2	Check suspension for wear.	Replace worn parts and/or remove non-functioning parts.	1
3	Inspect rotating parts such as hinges, rolling-element bearings, etc. for wear and acceptability.	Replace worn parts and/or remove non-functioning parts.	1
4	Check wood for splinters, unacceptable damage and signs of rot. Especially at ground level.	Repair damage. Replace affected wood. Smoothen splintered wood and sharp edges.	1
5	Inspect foundation for stability, tearing and coverage.	Restore foundation and covering material.	3
6	Examine rubber and synthetic parts for wear, damage and break.	Replace original parts.	3
7	Inspect metal for corrosion and damage in the coating.	Restore any damaged coating (after removing rust and applying primer).	6
8	Check ropes, cables, chains and nets for wear and damage. Steel cables and nets which are tensioned must be checked for tension.	Replace parts where necessary. Steel cables and nets must be tensioned.	3
9	Inspect equipment for unsafe changes and additions.	Remove unsafe additions and correct unsafe changes.	1
10	Inspect safety surfaces.	Restore and repair where necessary.	1

Remarks

1. If used intensively, all points require extra attention.
2. Extreme weather conditions and locations may require a higher inspection frequency. Discuss this with the supplier.
3. Vandalism-sensitive locations require stricter inspections, possibly daily.
4. Check the terrain regularly for items that do not belong there, are unsafe or may be used wrongly. Examples are poisonous plants, glass shards, etc. Frequency depends on strain.
5. Remember that bad maintenance leads to unsafe conditions and notably faster impoverishment of the playground area.
6. Replacement parts can be ordered at the manufacturer with the part numbers on the module drawing. Drawings can be found in de user guide.
7. The impact area shall be provided with impact attenuating surface according to the specified falling height.
8. This list is conform the CEN-standard "playground equipment and surfacing NEN-EN 1176-7".

TYPE-EXAMINATION CERTIFICATE

Acting under the "Warenwetbesluit Attractie- en Speeltoestellen" issued by Liftinstituut B.V.
commissioned by departmental order, no. VGP/PSL 2857566 from 27 Juni 2008.

Certificate nr. : NL12-400-100324979 Revision nr.: -

Description of the product : Playground equipment: Sandbalance

Trademark, type : Boer Speeltoestellen, Speeltoestel: Sandbalance
TOE MNP 343.813

Name and address of the manufacturer : Boer Speeltoestellen
Hyacintstraat 2
Nieuwendijk, NL

Name and address of the certificate holder : Boer Speeltoestellen
Hyacintstraat 2
Nieuwendijk, NL

Certificate issued on the basis of the following requirements : Warenwetbesluit Attractie- en Speeltoestellen,
NEN-EN 1176-1:2008

Test laboratory : None

Date and number of the laboratory report : None


Date of type-examination : 16 March 2012 - 22 october 2012


Annexes with this certificate : Report belonging to the type-examination certificate
nr.: 100324979


Additional remarks : None

Conclusion : The playground equipment meets the requirements of the above
specified European standard(s) and "Warenwetbesluit Attractie-
en Speeltoestellen" taking into account any additional remarks
mentioned above.

Issued in Amsterdam
Date of issue : 13 November 2012


ing. A.J. van Ommen
Manager Business Unit
Certification


Certification decision by



Bouten inkorten/afslippen waar nodig
RVS bevestigingsmiddelen boven grondvlak, verzinkt
onder grondvlak

Nr.	#	Type	Progr.	Volgnr.	Bew.	Rev.	Benaming	Opmerking
1	5	BSR	010	012	012		BORGMOER	M12
2	8	BSR	011	012	025		Borgdopmoer	M12 - RVS A2-70
3	1	BSR	021	012	170		Zeskantbout	M12 x 170 - RVS A2-70
4	14	BSR	030	012	003		Sluitring	M12 - RVS A2-70
5	4	BSR	070	012	100		Draadeind	M12 x 100 - RVS A2-70
6	2	BSV	010	010	010		Borgmoer	M10 - VZ 8.8
7	4	BSV	010	016	020		BORGMOER	M16
8	2	BSV	011	010	020		Borgdopmoer	M10 - VZ 8.8
9	2	BSV	021	010	120		Zeskantbout ISO 4014	M10 x 120 - VZ 8.8
10	2	BSV	021	010	150		Zeskantbout ISO 4014	M10 x 150 - VZ 8.8
11	8	BSV	030	010	002		SLUITRING	M10 VZ
12	4	BSV	030	016	003		SLUITRING	M16 x 3
13	4	KST	BUS	012	025		Afstandsbus	Ø18mm / L= 25mm / gat Ø12.8mm
14	6	KST	DON	012	010		miniplay donut M12 geel	823950000151
15	6	KST	DOP	012	010		miniplay dop M12 - M20 geel	823950000152
16	2	KST	MNP	017	POL		schaal	kunststof geel
17	2	KST	MNP	018	HPE		zandwippoot	hmpe rood
18	1	KST	MNP	061	RBO		rebo 70	L600
19	1	KST	MNP	062	RBO		rebo 100	L350
20	2	KST	ROR	012	015		Afstandsbus	M12 D15
21	1	OBT	POE	010	050		Poermodel 10	50 kg
22	4	OME	MNP	010	372	A	bakhouder	plaat 4mm
23	1	SME	MNP	004	372		poerplaat 10	hoek



Benaming
Title zandbalans

Opmerking
Comment miniplay

Datum
Date 15-12-2009

Tekening
Drawing

MOD MNP 343 004 A
Samenstelling module Assembly module