







Combination equipment



UKPE109.01H







Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	2	MOD	UKP	HHT	102		VLOER KWARTTROND	UKKEPUK
2	3	MOD	UKP	HHT	103	A	DAK	UKKEPUK
3	1	MOD	UKP	HHT	105		TOREN TUSSENSTAP	UKKEPUK
4	1	MOD	UKP	HHT	106		TOREN HOOG	UKKEPUK
5	1	MOD	UKP	HHT	108		HALF TOREN HOOG	UKKEPUK
6	2	MOD	UKP	HHT	109		TOREN SPEELHUIS	UKKEPUK
7	3	MOD	UKP	HHT	110	A	WANDJE OH	UKKEPUK
8	2	MOD	UKP	HHT	111	A	WANDJE LACH	UKKEPUK
9	2	MOD	UKP	HHT	112	A	WANDJE HUIL	UKKEPUK
10	1	MOD	UKP	HHT	113	A	JEEP	UKKEPUK
11	1	MOD	UKP	HHT	114	A	SCHOOLBORD	UKKEPUK
12	1	MOD	UKP	HHT	120	A	Ballenwand	Ukkepuk
13	1	MOD	UKP	HHT	121	A	Toonbank	Ukkepuk
14	1	MOD	UKP	HHT	122	A	Tafel	Ukkepuk
15	1	MOD	UKP	HHT	135		TELBOL DUBBEL	UKKEPUK
16	2	MOD	UKP	HHT	136		SYSTEEMBUIJS KWARTTROND	UKKEPUK
17	1	MOD	UKP	HHT	137	A	ZITJE KWARTTROND	UKKEPUK
18	1	MOD	UKP	HHT	142		STAANDER VLOER 410MM	UKKEPUK
19	1	MOD	UKP	HHT	154	A	Brug	Ukkepuk
20	1	MOD	UKP	HHT	158	A	Fornuis	Ukkepuk
21	1	MOD	UKP	HHT	161		Opstap kwartrond	250mm, Ukkepuk
22	1	MOD	UKP	HHT	178	A	Glijbaan	93cm Vloer

UKPE109.01H

Combination equipment

LOGBOOK

(Onderstaand logboek kan gebruikt worden om te voldoen aan de eisen, gesteld in artikel 14 van het Warenwetbesluit Attractie- en Speeltoestellen)

Type indication	Toddler Play
Product code	UKPE109.01H
Name of equipment	Ukkepuk Klimklautertoestel
Maximum height of fall	1,0 m
Year of construction	2017
Certificate	09200116218
inspection authority	Liftinstituut B.V. Buikslotermeerplein 381, A'dam - 1025 XE Amsterdam
Name manufacturer	BOERplay Hyacintstraat 2 - 4255 HX Nieuwendijk Phone: +31 (0)183 40 23 66 Fax: +31 (0)183 40 35 64
name installer	
Description of equipment	Combination equipment
Location of equipment	
Data about the owner of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	
Data about the administrator of the play equipment	
Name:	
Address:	
Postcode and town:	
Contact person:	
Telephone number:	

LOGBOOK

Inspection and maintenance intervals



Nr.	Inspection	Maintenance	months between inspections
1	Verify equipment's stability, junctions and missing parts. Inspect bolts, screws and nuts for absence, jams, corrosion and wear.	Add missing parts, secure joints, apply missing fixing agent and replace corroded parts.	1
2	Check suspension for wear.	Replace worn parts and/or remove non-functioning parts.	1
3	Inspect rotating parts such as hinges, rolling-element bearings, etc. for wear and acceptability.	Replace worn parts and/or remove non-functioning parts.	1
4	Check wood for splinters, unacceptable damage and signs of rot. Especially at ground level.	Repair damage. Replace affected wood. Smoothen splintered wood and sharp edges.	1
5	Inspect foundation for stability, tearing and coverage.	Restore foundation and covering material.	3
6	Examine rubber and synthetic parts for wear, damage and break.	Replace original parts.	3
7	Inspect metal for corrosion and damage in the coating.	Restore any damaged coating (after removing rust and applying primer).	6
8	Check ropes, cables, chains and nets for wear and damage. Steel cables and nets which are tensioned must be checked for tension.	Replace parts where necessary. Steel cables and nets must be tensioned.	3
9	Inspect equipment for unsafe changes and additions.	Remove unsafe additions and correct unsafe changes.	1
10	Inspect safety surfaces.	Restore and repair where necessary.	1

Remarks

1. If used intensively, all points require extra attention.
2. Extreme weather conditions and locations may require a higher inspection frequency. Discuss this with the supplier.
3. Vandalism-sensitive locations require stricter inspections, possibly daily.
4. Check the terrain regularly for items that do not belong there, are unsafe or may be used wrongly. Examples are poisonous plants, glass shards, etc. Frequency depends on strain.
5. Remember that bad maintenance leads to unsafe conditions and notably faster impoverishment of the playground area.
6. Replacement parts can be ordered at the manufacturer with the part numbers on the module drawing. Drawings can be found in the user guide.
7. The impact area shall be provided with impact attenuating surface according to the specified falling height.
8. This list is conform the CEN-standard "playground equipment and surfacing NEN-EN 1176-7".

TYPE-EXAMINATION CERTIFICATE

Acting under the "Warenwetbesluit Attractie- en Speeltoestellen" issued by Liftinstituut B.V.
commissioned by departmental order, no. VGP/PSL 2857566 from 27 Juni 2008.

Certificate nr. : NL 09-2001-162-18 Revision nr.: 200116218

Description of the product : Playground equipment, Ukkepek

Trademark, type : Speelwijzer, UKP.....

Name and address of the manufacturer : Speelwijzer
Nijverheidsstraat 8
5317 NL Nederhemert Noord

Name and address of the certificate holder : Speelwijzer
Nijverheidsstraat 8
5317 NL Nederhemert Noord

Certificate issued on the basis of the following requirements : Warenwetbesluit Attractie- en Speeltoestellen

Test laboratory : None

Date and number of the laboratory report : None

Date of type-examination : 01-09-2001 t/m 03-09-2001, 21-02-2009

Annexes with this certificate : Report belonging to the type-examination certificate nr.: NL 09-2001-162-18

Additional remarks : This certificate supersedes type certificate dated April 27th 2005, with certificate number NL 09-2001-162-18


Conclusion : The playground equipment meets the requirements of the above specified European standard(s) and "Warenwetbesluit Attractie- en Speeltoestellen" taking into account any additional remarks mentioned above.

Issued in Amsterdam


Date of issue : April 7th, 2009




Ir. V.M.A. Barendregt
Senior Officer Certification &
Technology
Liftinstituut B.V.




1.5	1	SHO	UKP	102	COA	B	Vloer kwartrond	Ukkepuk
1.4	3	RNT	BUS	M10	040		DRAADBUS	M10 x 40
1.3	3	KST	LAM	015	005		LAMELLENSTOP	ROND 15
1.2	3	BSR	030	010	002		SLUITRING	M10
1.1	3	BSR	021	010	090		ZESKANTBOUT	M10 x 90
1	1	SMD	UKP	HHT	102		VLOER KWARTTROND	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING




13	4	SME	UKP	546	320		Daksteun	Ukkepuk
12	1	OME	DRM	096	304		NOKBEUGEL	90 GRADEN
11	4	OME	DRM	054	304	A	Plaatbeugel	120 Graden
10	4	OPE	UKP	001	060	B	Dakplaat	Ukkepuk
9	8	KST	T33	010	000		ZADELRING	BUIS 33.7
8	20	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
7	8	KST	DOP	010	030		Beschermdop M10-M12	Dop rood
6	20	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
5	8	KST	DON	010	030		Beschermdop M10-M12	Donut Rood
4	28	BSR	030	010	002		SLUITRING	M10
3	20	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
2	8	BSR	021	010	100		Zeskantbout	M10 x 100 - RVS A2-70
1	20	BSR	011	010	020		DOPMOER	BORG RVS M10
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING




POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING
1	2	OHO	080	013	HHT		Staander HHT	80x80, lengte=2160
2	2	OHO	080	014	HHT		Staander HHT	80x80, lengte=2330
3	4	SMD	UKP	HHT	104		PAALKAP	UKKEPUK
4	4	SMD	UKP	HHT	103		ANKER PLAAT	UKKEPUK
5	1	SMD	UKP	HHT	100		VLOER VIERKANT	UKKEPUK




4	4	SMD	UKP	HHT	104	PAALKAP	UKKEPUK
3	4	SMD	UKP	HHT	103	ANKER PLAAT	UKKEPUK
2	1	SMD	UKP	HHT	100	VLOER VIERKANT	UKKEPUK
1	4	OHO	080	014	HHT	Staander HHT	80x80, lengte=2330
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING




POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING
1	2	OHO	080	014	HHT		Staander HHT	80x80, lengte=2330
2	2	SMD	UKP	HHT	104		PAALKAP	UKKEPUK
3	2	SMD	UKP	HHT	103		ANKER PLAAT	UKKEPUK
4	1	SMD	UKP	HHT	100		VLOER VIERKANT	UKKEPUK




4	4	OHO	080	010	HHT	Staander hardhout	80x80, lengte=1650
3	4	SMD	UKP	HHT	104	PAALKAP	UKKEPUK
2	4	SMD	UKP	HHT	103	ANKER PLAAT	UKKEPUK
1	1	SMD	UKP	HHT	100	VLOER VIERKANT	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING
							OPMERKING




4	2	SME	UKP	501	320	A	SYSTEEMBUIS	UKKEPUK
3	4	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
2	4	SMD	UKP	ALG	106		WAND BEVESTIGING	UKKEPUK
1	1	OPE	UKP	002	030	D	WAND OH	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING




4	2	SME	UKP	501	320	A	SYSTEEMBUIJS	UKKEPUK
3	4	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
2	4	SMD	UKP	ALG	106		WAND BEVESTIGING	UKKEPUK
1	1	OPE	UKP	003	010	D	WAND LACH	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING




4	2	SME	UKP	501	320	A	SYSTEEMBUIJS	UKKEPUK
3	4	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
2	4	SMD	UKP	ALG	106		WAND BEVESTIGING	UKKEPUK
1	1	OPE	UKP	005	050	D	WAND HUIL	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING




Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	4	BSR	011	006	012		Borgdopmoer	M6 - RVS A2-70
2	1	BSR	011	010	020		DOPMOER	BORG RVS M10
3	4	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
4	4	BSR	023	006	040		Bolkopbout ISO 7380	M6 x 40 - RVS A2-70
5	4	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
6	4	KST	ROR	006	002		RING NYLON	DIKTE 2.5 MM
7	5	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
8	4	KST	T33	010	000		ZADELRING	BUIS 33.7
9	1	KST	UKP	002	POM	A	Stuurhouder Jeep en Bus	Ukkepek
10	1	OPE	UKP	006	051	D	Wand Jeep	Ukkepek
11	1	OPE	UKP	008	010	B	Stuur Jeep	Ukkepek
12	4	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
13	1	SME	UKP	539	320	A	FRAME	JEEP




Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	2	BSR	011	010	020		DOPMOER	BORG RVS M10
2	6	BSR	023	010	060		Bolkopbout ISO 7380	M10 x 60 - RVS A2-70
3	6	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
4	8	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
5	4	KST	T33	010	000		ZADELRING	BUIS 33.7
6	1	KST	UKP	010	000	A	Schoolbord	Ukkepuuk
7	1	OPE	UKP	015	030	D	ACHTERWAND SCHOOLBORD	UKKEPUK
8	1	OPE	UKP	016	030	D	LIJST SCHOOLBOARD	UKKEPUK
9	4	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
10	2	SME	UKP	501	320	A	SYSTEEMBUIJS	UKKEPUK




Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	20	BSR	005	004	019		Zelfb. schroef	3,5 x 19 - RVS A2-70
2	6	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
3	4	KST	BOL	036	030		Telbol helpt	Rood
4	3	KST	BOL	036	010		Telbol helpt	Geel
5	3	KST	BOL	036	050		Telbol helpt	Blauw
6	6	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
7	6	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
8	6	KST	T33	010	000		ZADELRING	BUIS 33.7
9	1	OPE	UKP	034	010	B	Wand draaibollen	Ukkepek
10	6	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
11	3	SME	UKP	501	320	A	SYSTEEMBUIS	UKKEPUK




Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	6	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
2	6	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
3	6	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
4	6	KST	T33	010	000		ZADELRING	BUIS 33.7
5	1	OPE	UKP	010	050	B	Toonbank loket	Ukkepuuk
6	1	OPE	UKP	011	030	B	Schot toonbank	Ukkepuuk
7	4	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
8	1	SME	UKP	501	320	A	SYSTEEMBUIS	UKKEPUK
9	1	SME	UKP	503	320	A	SYSTEEMBUIS	UKKEPUK



POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING
1	9	BSR	002	005	050		SCHROEF	5 x 50
2	4	BSR	011	010	020		DOPMOER	BORG RVS M10
3	4	BSR	024	010	030		Verzonken bout	M10 x 30 - RVS A2-70
4	4	BSR	030	010	002		Sluitring	M10 - RVS A2-70
5	4	BSR	036	005	015		Facet ring	M5 - RVS A2-70
6	4	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
7	1	OPE	UKP	041	050	A	Tafelblad	Ukkepuk
8	1	OHO	080	022	HHT		Staander HHT	80x80, lengte=1090
10	1	SME	UKP	583	320	A	Steun tafel	Ukkepuk
12	1	OME	UKP	615	VZP	A	Voetplaat	Ukkepuk



6	24	BSR	005	004	019	Zelfborende PIAS schoef	3,5 x 19
5	4	KST	BOL	036	050	Telbol helft	Blauw
4	4	KST	BOL	036	010	Telbol helft	Geel
3	4	KST	BOL	036	030	Telbol helft	Rood
2	2	SME	UKP	500	320	A SYSTEEMBUIS	UKKEPUK
1	4	SMD	UKP	HHT	105	BEVESTIGING VLINDER	UKKEPUK HHT
POS	N	TYPE	PROJ.	NR.	BEH.	R BENAMING	OPMERKING



2	2	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
1	1	SME	UKP	538	320		BUIS KWARTTROND	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title SYSTEEMBUIS KWARTTROND


Opmerking
Comment UKKEPUK

Datum
Date 19-1-2007


Tekening
Drawing

MOD UKP HHT 136


Samenstelling module Assembly module




Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	3	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
2	3	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
3	3	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
4	3	KST	T33	010	000		ZADELRING	BUIS 33.7
5	1	OPE	UKP	014	010	B	ZITJE KWARTTROND	UKKEPUK
6	2	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
7	1	SME	UKP	541	320		BUIS ZITJE KWARTTROND	UKKEPUK




POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING
1	1	OHO	080	011	HHT		Staander HHT	80x80, lengte=1820
2	1	SMD	UKP	HHT	104		PAALKAP	UKKEPUK
3	1	SMD	UKP	HHT	103		ANKER PLAAT	UKKEPUK



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	8	BSR	002	005	050		Schroef Assy	5 x 50 - RVS A2-70
2	20	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
3	4	BSR	023	010	060		Bolkopbout ISO 7380	M10 x 60 - RVS A2-70
4	24	BSR	030	010	002		SLUITRING	M10
5	8	BSR	036	005	015		Facet ring	M5 - RVS A2-70
6	20	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
7	2	OPE	UKP	029	060	C	Wand brug	Ukkepuk
8	8	OPE	UKP	110	050	A	Plank brug	Ukkepuk
9	2	OPE	UKP	111	050	A	Eindplank brug	Ukkepuk
10	4	RNT	BUS	M10	040		DRAADBUS	M10 x 40
11	4	SMD	UKP	ALG	106	A	WAND BEVESTIGING	UKKEPUK
12	8	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
13	4	SME	UKP	549	320		SYSTEEMBUS LANG	UKKEPUK
14	2	SME	UKP	551	320	A	Vloerbuis brug	Ukkepuk



Nr	#	Type	Progr.	Volgnr	Bew.	Rev.	Benaming	Opmerking
1	3	BSR	023	010	030		Bolkopbout ISO 7380	M10 x 30 - RVS A2-70
2	4	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
3	7	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
4	3	KST	KNP	020	ZWT		Sterknop	Kunststof
5	7	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
6	4	KST	T33	010	000		ZADELRING	BUIS 33.7
7	1	OPE	UKP	031	051	C	Fornuis	Ukkepek
8	4	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
9	2	SME	UKP	504	320	A	SYSTEEMBUIS	UKKEPUK



6	1	OHO	080	010	HHT		Staander hardhout	80x80, lengte=1650
4	1	SMD	UKP	HHT	104		PAALKAP	UKKEPUK
3	1	SMD	UKP	HHT	103		ANKER PLAAT	UKKEPUK
2	1	SMD	UKP	HHT	102		VLOER KWARTTROND	UKKEPUK
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING



Benaming
Title Opstap kwartrond


Opmerking
Comment 250mm, Ukkepuk

Datum
Date 19-1-2007

Tekening
Drawing

MOD UKP HHT 161

Samenstelling module Assembly module



14	1	SME	UKP	586	320	B	Glijvlak hoge glijbaan	Ukkepuk
13	1	SME	UKP	500	320	A	SYSTEEMBUIJS	UKKEPUK
12	2	SME	DRM	051	372	A	ANKER ZOEF	SCHUIN
11	2	SMD	UKP	HHT	105		BEVESTIGING VLINDER	UKKEPUK HHT
10	2	OME	UKP	577	304		Bevestigingshoek	Glijbaan Ukkepuk
9	2	OPE	UKP	043	050	A	Zijwand hoge glijbaan	Ukkepuk
8	2	OPE	UKP	042	010	C	Neus hoge glijbaan	Ukkepuk
7	26	KST	ROR	010	000		RING NYLON	M10 x 2.5 MM
6	26	KST	DOP	006	030		OPVULDOPJE	6 MM ROOD
5	4	BSR	036	005	015		Facet ring	M5 - RVS A2-70
4	26	BSR	030	010	002		SLUITRING	M10
3	26	BSR	023	010	040		Bolkopbout ISO 7380	M10 x 40 - RVS A2-70
2	26	BSR	011	010	020		DOPMOER	BORG RVS M10
1	4	BSR	002	005	050		SCHROEF	5 x 50
POS	N	TYPE	PROJ.	NR.	BEH.	R	BENAMING	OPMERKING